



SAFETY DATA SHEET

PRIME-A-PELL® H2O - SERIES 633

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: PRIME-A-PELL® Series 633

Product Number: C633-NOPG

Product Use: Industrial Paint

Uses Advised Against: Consumer use - For professional use only. Not for residential use.

Manufacturer/Supplier: TEX-COTE LLC
2422 East 15th Street,
Panama City, FL 32405

Phone Number: 850-769-0347

Emergency Phone: 1-800-424-9300 (CHEMTREC)

Date of Preparation: January 14, 2026

Section 2: HAZARDS IDENTIFICATION

Classification
OSHA/HCS Status: This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements:
Appearance: Clear
Physical State: Liquid
Odor: Organic

Precautionary Statements

Prevention: Do not handle until all safety precautions have been read and understood.

Response: Seek medical advice/attention if you feel unwell.

Storage: Keep away from children.

Disposal: Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC): May cause skin and eye irritation.

Other information: Causes mild skin irritation. Harmful to aquatic life with long lasting effects.

Acute toxicity: 5.6488% of the mixture consists of ingredient(s) of unknown toxicity.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin contact Wash off immediately with soap and plenty of water.

Inhalation If inhaled, move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion If swallowed, do not induce vomiting. Get medical attention immediately.

Self-protection of the first aider Use personal protective equipment. Avoid contact with eyes, skin and clothing.

Most important symptoms and effects, both acute and delayed.

Notes to physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media:

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical:

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products: may include a complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. Carbon dioxide. Hydrocarbons. Formaldehyde.

Protective equipment and precautions for firefighters:

Use water spray to cool unopened containers. In the event of fire, wear self-contained breathing apparatus. Keep away from heat/sparks/open flames/hot surfaces. MAY CAUSE HEAT AND PRESSURE BUILD-UP IN CLOSED CONTAINERS.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Personal precautions: Avoid contact with eyes, skin and clothing. Use personal protective equipment. Remove all sources of ignition.

Environmental Protections:

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

Methods for containment & clean-up:

Methods for containment: Remove all sources of ignition. Spills may be collected with inert, absorbent material for proper disposal. Use non-sparking tools, protective gloves, goggles and clothing, adequate ventilation, avoid the breathing of vapors and use respiratory protective devices. Transfer absorbent material to suitable containers for proper disposal.

Methods for cleaning up: If spilled, contain spilled material and remove with inert absorbent. Dispose of contaminated absorbent, container and unused contents in accordance with local, state and federal regulations.

Section 7: HANDLING AND STORAGE

Precautions for safe handling:

Handling: Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with eyes, skin and clothing. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Do not ingest. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities:

Storage: Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Incompatible: No materials to be especially mentioned.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure guidelines

Appropriate engineering controls

Engineering measures: Sufficient ventilation, in volume and pattern, should be provided through both local and general exhaust to keep the air contaminant concentration below current applicable OSHA Permissible Exposure Limits (PEL) and ACGIH's Threshold Limit Values (TLV). Appropriate ventilation should be employed to remove hazardous decomposition products formed during welding or flame cutting operations of surfaces coated with this product.

Individual protection measures, such as personal protective equipment

Eye/face protection: Safety glasses with side-shields.

Skin and body protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection: Use only with adequate ventilation. Do not breathe vapors, spray mist, or dust. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates vapor/mist or dust levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH/MSHA approved) during and after application. Follow respirator manufacturer's directions for respirator use.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice. Avoid breathing dust created by cutting, sanding, or grinding.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information for basic physical and chemical properties

Physical State	liquid	Odor	Organic
Appearance	Clear	Odor Threshold	No information available
Color	No information available		

Property	Values	Remarks
pH		No data available
Melting Point / Freezing Point	0 °C / 32 °F	Freezing point
Boiling Point / Boiling Range	100° C / 212° F	
Flash Point	100 °C / 212.0 °F	Pensky Martens - Closed Cup
Evaporation Rate		No data available
Flammability (solid/gas)	No data available	No information available
Flammability Limit in Air		No data available
Upper Flammability limit	N/A	
Lower Flammability limit	N/A	
Vapor Pressure		No data available
Vapor Density		No data available
Specific Gravity	0.9942	g/cm3
Water Solubility	Insoluble in cold water	
Solubility in Other Solvents		No data available
Partition Coefficient: n-octanol/water		No data available
Autoignition Temperature	No data available	No data available
Decomposition Temperature	No information available	No data available
Kinematic Viscosity	No information available	No data available
Dynamic Viscosity		No data available
Other Information		
Molecular Weight	No information available	
Density	8.29162	
Volatile Organic Compounds (VOC) Content	1.53059	
Total Volatiles Weight Percent	94.24 %	
Total Volatiles volume percent	94.23 %	
Bulk Density	No information available	

Section 10: STABILITY AND REACTIVITY

Reactivity: No Data available.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: None under normal processing.

Conditions to avoid: Heat, flames and sparks.

Incompatible materials: No materials to be especially mentioned.

Hazardous decomposition products: Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide. Unidentified organic and inorganic compounds. Carbon dioxide. Hydrocarbons. Formaldehyde.

Section 11: TOXICOLOGY INFORMATION

Information on Likely Routes of Exposure

Inhalation: No known hazard by inhalation

Eye contact: No known effect based on information supplied. May cause temporary eye irritation.

Skin contact: No known effect based on information supplied. May cause irritation.

Ingestion: May be harmful if swallowed.

Information on toxicological effects

Symptoms: No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion / irritation: May cause irritation.

Eye damage / irritation: May cause eye irritation.

Chronic Toxicity: Avoid repeated exposure.

Sensitization: No information available.

Mutagenicity: No information available.

Carcinogenicity: There are no known carcinogenic chemicals in this product.

Reproductive effects: No information available.

STOT - single exposure: No information available.

STOT - repeated exposure: No information available

Aspiration hazard: Not applicable.

Acute Toxicity: 5.6488 % of the mixture consists of ingredient(s) of unknown toxicity.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability: No information available.

Bioaccumulation: No information available.

Mobility in Environmental Media

Other Adverse Effects: No information available.

Section 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal Methods: Keep container tightly closed. If spilled, contain spilled material and remove with inert absorbent. Dispose of contaminated absorbent, container and unused contents in accordance with local, state and federal regulations.

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORTATION INFORMATION

DOT

Proper Shipping Name: paint, water base freezable

Proper Shipping Name: Not Regulated

Proper Shipping Name: PAINT & RELATED MATERIAL, WATER BASE FREEZABLE

Additional Information For additional information, contact Tex-Cote at 800-454-0340 or info@texcote.com.

Section 15: REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL / NDSL	Complies
EINECS/ELINCS	Does Not Comply
ENCS	Does Not Comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL / NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS / ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard: Yes

Chronic Health Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard: No

TSCA 5(a)2 Significant New Use Rule (SNUR)

This product contains one or more substances which are subject to a TSCA Section 5 Significant New Use Rule (SNUR).

Chemical Name	TSCA 5(a)2
SURFACTANT	79 FR 59186, Oct 1, 2014 proposed rule

California Prop. 65

WARNING: None of the ingredients are listed with California Proposition 65.

California SCAQMD Rule 443

Does Not Contain Photochemically Reactive Solvent

State Right-to-Know

Section 16: OTHER INFORMATION

NFPA	Health 1	Flammability 1	Instability 0	Physical Hazard -
HMIS (Hazardous Material Information System)	Health 1	Flammability 1	Reactivity 0	

Prepared By Tnemec Regulatory Dept: 816-474-3400

Revision Date 03-May-2024

Revision Summary

9 4 5 7 10 11 14 15 1

Disclaimer:

For specific information regarding occupational safety and health standards, please refer to the Code of Federal Regulations, Title 29, Part 1910.

To the best of our knowledge, the information contained herein is accurate. However, neither the Tnemec Company or any of its subsidiaries assume any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.